



## 200W LED Flood light



### Product Features

- Super Bright. Provides 20,000 lumens of 5000K daylight white light.
- ETL & FCC Listed. 3 years warranty. 30,000 hours lifespan.
- IP65 Waterproof. Endure extreme outdoor weather conditions.
- 360° Adjustable & Easy Installation.
- Features a commercial-grade die-cast aluminum housing for durability.



Photometric Data

[Download IES](#)


OUTDOOR PHOTOMETRIC REPORT

**MANUFACTURER:** Lepro  
**SKU NO.:** 340019-DW-US  
**DESCRIPTION:** FLOOD LIGHT 200W 20000LM IP65 5000K  
**LAMP OUTPUT:** 1 lamp, rated Lumens/lamp: 20000  
**MAX CD:** 7,061.8 at Horizontal: -3°, Vertical: 0°  
**LUMINOUS OPENING:** Point  
**NEMA TYPE:** 7 X 7


LUMENS PER ZONE

ZONE	LUMENS	% TOTAL
0-10	668.9	3.3%
10-20	1,930.0	9.6%
20-30	2,963.7	14.8%
30-40	3,632.7	18.2%
40-50	3,820.2	19.1%
50-60	3,411.8	17.1%
60-70	2,377.6	11.9%
70-80	1,051.2	5.3%
80-90	145.7	0.7%

Candela Distribution



Isofootcandle Plot



ILLUMINANCE AT A DISTANCE

	CENTER BEAM	BEAM WIDTH	
4 ft	440.81 fc	12.1 ft	12.5 ft
8 ft	110.20 fc	24.3 ft	25.0 ft
12 ft	48.98 fc	36.4 ft	37.6 ft
16 ft	27.55 fc	48.6 ft	50.1 ft
20 ft	17.63 fc	60.7 ft	62.6 ft

■ Vert. Spread: 113.3°    ■ Horiz. Spread: 114.9°

