



## 200W LED Flood light

**3 YEAR  
WARRANTY**

### Product Features

- Super Bright. Provides 20,000 lumens of 5000K daylight white light.
- FCC Listed. 3 years warranty. 30,000 hours lifespan.
- IP65 Waterproof. Endure extreme outdoor weather conditions.
- 360° Adjustable & Easy Installation.
- Features a commercial-grade die-cast aluminum housing for durability.

## Product Information

SKU	340019-DW-US	Power Consumption (W)	200
Brightness (lm)	20000	Light Color	Daylight White
Color Temperature (K)	5000	Dimmable	Non-dimmable
CRI	≥80	Beam Angle (Degree)	110
Input Voltage (v)	110-130V AC	Frequency (hz)	50
Power Factor	>0.9	Lifespan (h)	30000
Length (in)	15.91	Width (in)	13.03
Height (in)	1.71	Net Weight (lb)	6.83
Waterproof	Yes	Protection Rating	IP65
Certification	FCC	Package Quantity	Pack of 1 Unit
Warranty	3 Years		

## Product Dimensions



Photometric Data

[Download IES](#)


**OUTDOOR PHOTOMETRIC REPORT**

**MANUFACTURER:** Lepro  
**SKU NO.:** 340019-DW-US  
**DESCRIPTION:** FLOOD LIGHT 200W 20000LM IP65 5000K  
**LAMP OUTPUT:** 1 lamp, rated Lumens/lamp: 20000  
**MAX CD:** 7,061.8 at Horizontal: -3°, Vertical: 0°  
**LUMINOUS OPENING:** Point  
**NEMA TYPE:** 7 X 7


**LUMENS PER ZONE**

ZONE	LUMENS	% TOTAL
0-10	668.9	3.3%
10-20	1,930.0	9.6%
20-30	2,963.7	14.8%
30-40	3,632.7	18.2%
40-50	3,820.2	19.1%
50-60	3,411.8	17.1%
60-70	2,377.6	11.9%
70-80	1,051.2	5.3%
80-90	145.7	0.7%

**Candela Distribution**



**Isofootcandle Plot**






**ILLUMINANCE AT A DISTANCE**

	CENTER BEAM	BEAM WIDTH	
4 ft	440.81 fc	12.1 ft	12.5 ft
8 ft	110.20 fc	24.3 ft	25.0 ft
12 ft	48.98 fc	36.4 ft	37.6 ft
16 ft	27.55 fc	48.6 ft	50.1 ft
20 ft	17.63 fc	60.7 ft	62.6 ft

■ Vert. Spread: 113.3°    ■ Horiz. Spread: 114.9°

**Other Models**

SKU	Power (W)	Lumen (lm)	CCT	Voltage	Beam Angle	Life Hrs	CRI	Website
340017-DW-US	100	10000	5000K	110-130V	110°	30,000	>80	 <a href="#">Visit</a>
340018-DW-US	150	15000	5000K	110-130V	110°	30,000	>80	 <a href="#">Visit</a>
340019-DW-US	200	20000	5000K	110-130V	110°	30,000	>80	 <a href="#">Visit</a>

**3 YEAR  
WARRANTY**



**340017-DW-US  
100 W**



**340018-DW-US  
150 W**



**340019-DW-US  
200 W**

